



BUREAU VERITAS

TEST REPORT N°: CBOY-EGZ-P21060337

TEST REPORT

To:	Guangdong Yonggu Electronic Machinery Technology Co., Ltd.	To:	-
Attn:	Mr. Jiang	Attn:	-
Address:	Building 14, Hexiang Middle Road 32, Hecheng Town, Heshan City, GuangDong Province, China	Address:	-
Fax:	-	Fax:	-
E-mail:	2061103797@qq.com	E-mail:	-

This document includes: 4 pages

Factory name:	Same as applicant	Offer:	CBOY-EGZ-Q21061501-A0
Location:	Same as applicant	Sample No:	EGZ210609/003
See pictures on page 2	Start date:	June 16, 2021	
	Finish date:	June 25, 2021	
	Standards used: (Date):	IEC 60529: 1989 + A1: 1999 + A2: 2013	
	Sections examined:	Clauses 13.4, 13.6, 14.2.8 and 14.3 (IP68 1,5 m test)	
Aluminum enclosure Models: YG-L01, YG-L02, YG-L03, YG-L04, YG-L06, YG-L07, YG-L08, YG-L09, YG-L10, YG-L11, YG-L12, YG-L13, YG-L14, YG-L15	Note:	None	

The results given in this report are related to the tested specimen of the described electrical apparatus.

CONCLUSION: The sample satisfies to the sections examined and client's requirement.

Test done by,	Approved by,
Engineer: Willy WEN	Assistant Manager: Eric TANG
Date: June 25, 2021	Date: June 25, 2021



This report is governed by, and incorporates by reference, CPS Conditions of Service as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.

Bureau Veritas Consumer Products Services (Guangzhou) Co., Ltd, Science City Branch

Rm.101, G5 Building, South China Advanced Materials Innovation Park, NO.31 Kefeng Rd, Guangzhou Science City, Guangzhou.

Tel: +86 20 8714 8500
Fax: +86 20 8715 8528
Email: bvcpstech.GZ@cn.bureauveritas.com

TEST REPORT N°: CBOY-EGZ-P21060337

HISTORICAL OF SAMPLE RECEIVED

LABORATORY	RECORDED N°	DETAIL OF THE SAMPLE	SPECIAL REMARK
GZ	EGZ210609/003	-	-

EXAMINED SECTIONS


According to client's request, IP68 (1,5 m) test and result judgement were performed on below products with following the relevant test method of IP68 in standard: IEC 60529.

The tests have been performed on a product: Model YG-L01, YG-L02, YG-L03, YG-L04, YG-L06, YG-L07, YG-L08, YG-L09, YG-L10, YG-L11, YG-L12, YG-L13, YG-L14, YG-L15.


All models are same, the difference is appearance color, trade name and model number. Due to the similar constructions, all tests were performed on represent YG-L10.

All models (YG-L01, YG-L02, YG-L03, YG-L04, YG-L06, YG-L07, YG-L08, YG-L09, YG-L10, YG-L11, YG-L12, YG-L13, YG-L14, YG-L15) are covered by inclusion on page 1.

PICTURES OF THE SAMPLE TESTED:



TEST REPORT N°: CBOY-EGZ-P21060337





TEST REPORT N°: CBOY-EGZ-P21060337

TABLE OF RESULTS

CLAUSES	TITLE	REMARK	NOTE	PASS	FAIL	N.A
13.4 & 13.6	TEST FOR FIRSE CHARACTERISTIC NUMERAL 6	There is no deposit of dust observable inside the enclosure.		X		
14.2.8 & 14.3	TEST FOR SECOND CHARACTERISTIC NUMERAL 8 (According to client request, test performed with water depth above top surface of product is 1,5 m, test duration 0,5 hours)	There is no water entered in inside of the sample.		X		
N.A: Not applicable		None				

--End of report--